






## KOSHI A




KOSHI 45A



KOSHI 36A




KOSHI 30A




MU.KOSHI 36A  
30x60 - 12"x24"



KOSHI 60A



KOSHI A1



KOSHI 12A



KOSHI BT 60A  
9,5x60 - 3.7"x24"




KOSHI S60A  
30x60 - 12"x24"



KOSHI BT 45A  
9,5x45 - 3.7"x18"



KOSHI BT 30A  
9,5x30 - 3.7"x12"




KOSHI 36A R




MK.KOSHI 30A  
30x30 - 12"x12"


## KOSHI B




KOSHI 45B




KOSHI 36B




KOSHI 30B




MU.KOSHI 36B  
30x60 - 12"x24"



KOSHI 60B



KOSHI B1



KOSHI 12B



KOSHI BT 60B  
9,5x60 - 3.7"x24"




KOSHI S60B  
30x60 - 12"x24"




KOSHI BT 45B  
9,5x45 - 3.7"x18"



KOSHI BT 30B  
9,5x30 - 3.7"x12"




KOSHI 36B R




MK.KOSHI 30B  
30x30 - 12"x12"




KOSHI CE




KOSHI 45CE



KOSHI 36CE



KOSHI 30CE



MU.KOSHI 36CE  
30x60 - 12"x24"



KOSHI BT 60CE  
9,5x60 - 3.7"x24"



KOSHI S60CE  
30x60 - 12"x24"




KOSHI BT 45CE  
9,5x45 - 3.7"x18"




KOSHI BT 30CE  
9,5x30 - 3.7"x12"




KOSHI 60CE



KOSHI CE1



KOSHI 12CE




KOSHI 36CE R



MK.KOSHI 30CE  
30x30 - 12"x12"


KOSHI T



KOSHI 45T



KOSHI 36T



KOSHI 30T



MU.KOSHI 36T  
30x60 - 12"x24"



KOSHI BT 60T  
9,5x60 - 3.7"x24"



KOSHI S60T  
30x60 - 12"x24"




KOSHI BT 45T  
9,5x45 - 3.7"x18"




KOSHI BT 30T  
9,5x30 - 3.7"x12"




KOSHI 60T



KOSHI T1



KOSHI 12T




KOSHI 36T R




MK.KOSHI 30T  
30x30 - 12"x12"




## KOSHI W




KOSHI 45W



KOSHI 36W



KOSHI 30W



MU.KOSHI 36W  
30x60 - 12"x24"



KOSHI BT 60W  
9,5x60 - 3.7"x24"



KOSHI S60W  
30x60 - 12"x24"




KOSHI BT 45W  
9,5x45 - 3.7"x18"




KOSHI BT 30W  
9,5x30 - 3.7"x12"




KOSHI 60W



KOSHI W1



KOSHI 12W




KOSHI 36W R




MK.KOSHI 30W  
30x30 - 12"x12"


## KOSHI G




KOSHI 45G



KOSHI 36G



KOSHI 30G



MU.KOSHI 36G  
30x60 - 12"x24"



KOSHI BT 60G  
9,5x60 - 3.7"x24"



KOSHI S60G  
30x60 - 12"x24"




KOSHI BT 45G  
9,5x45 - 3.7"x18"




KOSHI BT 30G  
9,5x30 - 3.7"x12"




KOSHI 60G



KOSHI G1



KOSHI 12G




KOSHI 36G R



MK.KOSHI 30G  
30x30 - 12"x12"




KOSHI DG




KOSHI 45DG



KOSHI 36DG



KOSHI 30DG



MU.KOSHI 36DG  
30x60 - 12"x24"



KOSHI BT 60DG  
9,5x60 - 3.7"x24"



KOSHI S60DG  
30x60 - 12"x24"




KOSHI BT 45DG  
9,5x45 - 3.7"x18"




KOSHI BT 30DG  
9,5x30 - 3.7"x12"




KOSHI 60DG



KOSHI DG1



KOSHI 12DG




KOSHI 36DG R




MK.KOSHI 30DG  
30x30 - 12"x12"

KOSHI N



KOSHI 45N



KOSHI 36N



KOSHI 30N



MU.KOSHI 36N  
30x60 - 12"x24"



KOSHI BT 60N  
9,5x60 - 3.7"x24"



KOSHI S60N  
30x60 - 12"x24"




KOSHI BT 45N  
9,5x45 - 3.7"x18"




KOSHI BT 30N  
9,5x30 - 3.7"x12"




KOSHI 60N



KOSHI N1



KOSHI 12N



KOSHI 36N R



MK.KOSHI 30N  
30x30 - 12"x12"



## caratteristiche tecniche

ISO 13006 B1a UGL (E 0,5%)

TECHNICAL CHARACTERISTICS  
ISO 13006-G - B1a UGL (E ≤ 0,5%)

DONNEES TECHNIQUES  
ISO 13006-G - B1a UGL (E ≤ 0,5%)

TECHNISCHE EIGENSCHAFTEN  
ISO 13006-G - B1a UGL (E ≤ 0,5%)

CARACTERÍSTICAS TÉCNICAS  
ISO 13006-G - B1a UGL (E ≤ 0,5%)

TEHNIŠKE KARAKTERISTIKE  
ISO 13006-G - B1a UGL (E ≤ 0,5%)











ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ  
ISO 13006-G - B1a UGL (E ≤ 0,5%)

## caratteristiche tecniche specifiche

Technical features specifications - Caractéristiques techniques spécifique - Technische Eigenschaften - Características técnicas específicas

P = Gres porcellanato a tutto spessore - Full body porcelain tiles - Grès cérame pleine masse - Durchgefärbtes Feinsteinzeug - Gres porcelánico a toda masa

PROGETTO	TIP	ARTICOLO	DIN 51130 (R)	DIN 51097 (A+B+C)	ASTM C1028/96		BCR Rep.CEC 6/81		DM 14/6/89 n.236	
					n.a.	n.b.	g.a.	g.b.	c.a.	g.b.
KOSHI	P	KOSHI	R9	A	> 0,6	> 0,6	> 0,4	> 0,4	> 0,4	> 0,4

CARATTERISTICA SPECIFICATION CARACTERISTIQUE EIGENSCHAFT CARACTERÍSTICA KARAKTERISTIKA ХАРАКТЕРИСТИКА	METODO DI PROVA TEST METHODS METHODE D'ESSAI TESTVERFAHREN PRUEBA POKUSNA METODA СТАНДАРТ ИСПЫТАНИЙ	REQUISITI PREVISTI DALLA NORMA REQUIREMENTS IN ACCORDANCE TO THE STANDARDS CARACTERISTIQUES REQUISES VORGEGEHENE EIGENSCHAFTEN GEMÄS NORMEN CARACTERÍSTICAS PREVISTAS POR LA NORMA ZAHITJEVI PREMA STANDARDU ТРЕБОВАНИЯ ПРЕДУСМОТРЕННЫЕ СТАНДАРТОМ	VALORE MEDIO GRES FINE PORCELLANATO FINE PORCELAIN STONeware AVERAGE VALUE VALEUR MOYENNE GRES CERAME DURCHSCHNITTLICHER WERT FEINSTEINZEUG VALOR MEDIO GRES FINO PORCELÁNICO SREDNJA VRIJEDNOST PORCULANIZIRANI TANKI GRES СРЕДНИЙ ПОКАЗАТЕЛЬ КЕРАМОГРАНИТА			
			NATURALE	RETTIFICATO	LEVIGATO / RETTIFICATO	
 <b>CARATTERISTICHE DIMENSIONALI</b> DIMENSIONAL CHARACTERISTICS - DIMENSIONS DIMENSIONALE EIGENSCHAFTEN - CARACTERÍSTICAS DIMENSIONALES KARAKTERISTIKE DIMENZJA - ПРОСТРАНСТВЕННЫЕ ХАРАКТЕРИСТИКИ <b>LUNGHEZZA E LARGHEZZA</b> LENGTH AND WIDTH - LONGUEUR ET LARGEUR LÄNGE UND BREITE - LONGITUD Y ANCHURA DUZINA I ŠIRINA - ДЛИНА И ШИРИНА <b>SPESSORE</b> THICKNESS - ÉPAISSEUR - STÄRKE - ESPESOR - DEBLJINA - ТОЛЩИНА <b>RETTILINEITÀ DEGLI SPIGOLI</b> STRAIGHTNESS OF EDGES - RECTITUDE DES BORDS RECHTECKIGKEIT DER ECKEN - RECTILINEARIDAD DE LAS ESQUINAS RAVNINA RUBOVA - ПРЯМОЛИНЕЙНОСТЬ ГРАНИ <b>ORTOGONALITÀ</b> ORTHOGONALITY - ORTHOGONALITE RECHTWINKLIGKEIT - ORTOGONALIDAD PRAVOKUTNOST - ПРЯМОУГОЛЬНОСТЬ <b>PLANARITÀ</b> PLANARITY - PLANARITE - EBENHEIT - PLANARIDAD RAVNINA POVRŠINA - ЛИНЕЙНОСТЬ	ISO 10545-2	S ≥ 410				
		± 0,5%	± 0,3%	± 0,1%	± 0,1%	
		± 5%	± 4%	± 4%	± 4%	
		± 0,5%	± 0,3%	± 0,1%	± 0,1%	
		± 0,6%	± 0,3%	± 0,1%	± 0,1%	
		± 0,5%	± 0,3%	± 0,3%	± 0,1%	
 <b>ASSORBIMENTO D'ACQUA</b> WATER ABSORPTION - ABSORPTION D'EAU WASSERAUFNAHME - ABSORCIÓN DE AGUA UPRIJANJE VODE - ВОДОПОГЛОЩЕНИЕ  <b>RESISTENZA A FLESSIONE</b> FLEXURAL RESISTANCE - RESISTANCE A LA FLEXION BIEGESTÄRKE - RESISTENCIA A LA FLEXIÓN UGIBNA CVRSTOSA - ПРОЧНОСТЬ НА ИЗГИБ  <b>SFORZO DI ROTTURA</b> MODULUS OF RUPTURE - CHARGE DE RUPTURE BRUCHLAST - CARGA DE RUPTURA SILA SLAMANJA - СТОЙКОСТЬ НА ИЗЛОМ	ISO 10545-3	≤ 0,5%		0,05%		
 <b>RESISTENZA A FLESSIONE</b> FLEXURAL RESISTANCE - RESISTANCE A LA FLEXION BIEGESTÄRKE - RESISTENCIA A LA FLEXIÓN UGIBNA CVRSTOSA - ПРОЧНОСТЬ НА ИЗГИБ  <b>SFORZO DI ROTTURA</b> MODULUS OF RUPTURE - CHARGE DE RUPTURE BRUCHLAST - CARGA DE RUPTURA SILA SLAMANJA - СТОЙКОСТЬ НА ИЗЛОМ	ISO 10545-4	min. 35 N/mm <sup>2</sup> мин. 35 Н/мм <sup>2</sup>		50 N/mm <sup>2</sup> = 509 Kg/cm <sup>2</sup> 50 Н/мм <sup>2</sup> = 509 кг/см <sup>2</sup>		
		<b>SPESSORE</b> - THICKNESS-ÉPAISSEUR-STÄRKE-ESPESOR-DEBLJINA-Толщина ≥ 7,5 mm: min. 1300 N	8,5 mm	2500 N		
		<b>SPESSORE</b> - THICKNESS-ÉPAISSEUR-STÄRKE-ESPESOR-DEBLJINA-Толщина < 7,5 mm: min. 700 N	12 mm	5000 N		
			14 mm	6500 N		
 <b>RESISTENZA ALL'ABRAZIONE PROFONDA</b> DEEP ABRASION RESISTANCE - RESISTANCE A L'ABRASION PROFONDE BESTÄNDIGKEIT GEGEN TIEFENVERSCHLEIß - RESISTENCIA A LA ABRASIÓN PROFUNDA OTPORNOST NA DUBOKU ABRAZIJU - УСТОЙЧИВОСТЬ К ГЛУБОКОМУ СТИРАНИЮ	ISO 10545-6	≤ 175 mm <sup>3</sup>		140 mm <sup>3</sup>		
 <b>COEFFICIENTE DILATAZIONE TERMICA LINEARE (α)</b> LINEAR EXPANSION THERMIC COEFFICIENT - COEFF. DILATATION THERMIQUE LINEIQUE LINEARER TERMISCHEAUSDEHNUNGSKOEFFIZIENT - COEF. DILATACIÓN TERMICA LINEAL KOEFCIJENT TERMICKOG LINEARNOG ŠIRENJA КОЭФФИЦИЕНТ ТЕПЛОВОГО ЛИНЕЙНОГО РАСТЯЖЕНИЯ	ISO 10545-8			≤ 7x10 <sup>-6</sup> °C <sup>-1</sup>		
 <b>RESISTENZA AGLI SBALZI TERMICI</b> RESISTANCE TO SUDDEN TEMPERATURE CHANGES - RESISTANCE AUX CHOCs THERMIQUES TEMPERATURWECHSELBESTÄNDIGKEIT - RESISTENCIA A LAS VARIACIONES TERMICAS OTPORNOST NA NAGLE PROMJENE TEMPERATURE УСТОЙЧИВОСТЬ К ТЕМПЕРАТУРНЫМ ПЕРЕПАДАМ	ISO 10545-9					
 <b>RESISTENZA AL GELO</b> FROST RESISTANCE - RESISTANCE AU GEL FROSTBESTÄNDIGKEIT - RESISTENCIA AL HIELO OTPORNOST NA MRAZ - МОРОЗОСТОЙКОСТЬ	ISO 10545-12					
 <b>RESISTENZA AI PRODOTTI CHIMICI</b> CHEMICAL RESISTANCE - RESISTANCE AUX PRODUITS CHIMIQUES CHEMISCHE BESTÄNDIGKEIT - RESISTENCIA A LOS PRODUCTOS QUÍMICOS OTPORNOST NA KEMIKALIJE - ХИМИЧЕСКАЯ УСТОЙЧИВОСТЬ  <b>PRODOTTI CHIMICI AD USO DOMESTICO ED ADDITIVI PER PISCINA</b> HOUSEHOLD CHEMICALS AND SWIMMING POOL WATER CLEANSERS PRODUITS CHIMIQUES COURANTS ET ADDITIFS POUR PISCINE CHEM.PRODUKTE FÜR DEN HAUSHALTSGEBRAUCH UND ZUSATZ FÜR SCHWIMMBÄDER PRODUCTOS QUÍMICOS PARA UTILZO DOMÉSTICO Y ADITIVOS PARA PISCINA КЕМИКАЛИ ПРОИЗВОДИ ЗА КУЧОЛНУ УПОТРЕБУ I АДИТИВИ ЗА БАЗЕНЕ Бытовые химические средства и средства для бассейнов			min.UB min.UB	min.UB min.UB		
<b>ACIDI ED ALCALI A BASSA CONCENTRAZIONE</b> ACIDS AND LOW CONCENTRATION ALKALIS ACIDES ET ALCALINS A FAIBLE CONCENTRATION SÄUREN UND ALKALI IN GERINGER KONZENTRATION ÁCIDOS Y ALCALI CON BAJA CONCENTRACIÓN KISELINE I ALCALI NISKE KONCENTRACIJE низкоконцентрированные кислоты и щёлочи  <b>ACIDI ED ALCALI AD ALTA CONCENTRAZIONE</b> ACIDS AND HIGH CONCENTRATION ALKALIS ACIDES ET ALCALINS A FORTE CONCENTRATION SÄUREN UND ALKALI IN HOHER KONZENTRATION ÁCIDOS Y ALCALI CON ALTA CONCENTRACIÓN KISELINE I ALCALI VISKE KONCENTRACIJE высококонцентрированные кислоты и щёлочи	ISO 10545-13					
			<b>DA ULA, ULB A ULC</b> FROM ULA, ULB TO ULC - DE ULA, ULB A ULC VON ULA, ULB BIS ULC - DE ULA, ULB A ULC od ULA, ULB do ULC - от ULA, ULB до ULC	<b>DA ULA, ULB A ULC</b> FROM ULA, ULB TO ULC - DE ULA, ULB A ULC VON ULA, ULB BIS ULC - DE ULA, ULB A ULC od ULA, ULB do ULC - от ULA, ULB до ULC		
 <b>RESISTENZA ALLE MACCHIE</b> STAIN RESISTANCE - RESISTANCE AUX TACHES FLECKBESTÄNDIGKEIT - RESISTENCIA A LAS MANCHAS OTPORNOST NA MRLJE - УСТОЙЧИВОСТЬ ЗАГРЯЗНЕНИЮ	ISO 10545-14			min. 3 min. 3		
	 <b>STABILITÀ DEI COLORI ALLA LUCE</b> COLOUR STABILITY TO LIGHT - STABILITE DES COULEURS A LA LUMIERE LICHTECHTHEIT DER FARBEN - ESTABILIDAD DE LOS COLORES FRENTE A LA LUZ POSTOJANOST BOJA NA SVJETLOSTI - УСТОЙЧИВОСТЬ ЦВЕТА	DIN 51094				<b>NON DEVONO PRESENTARE APPREZZABILI VARIAZIONI DI COLORE</b> THEY DO NOT HAVE TO SHOW VISIBLE COLOUR ALTERATION PAS DE MODIFICATIONS SENSIBLES DE COULEUR WESSEN KEINE SICHTBAREN FARBÄNDERUNGEN AUF NO TIENEEN QUE PRESENTAR APRECIABLES VARIACIONES DE COLOR NE SMJE DOCI DO VIDNIH PROMJENA U BOJI Не должны иметь заметных различий в цвете